

# **Purchasing Receipts**

	Supplier		Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order	Due Date	Received	Accounting Job No	Container No	Status	Receive	Price/Unit	Aging	Past	
0039177	ACI001-VC	1	1	Net 30	M303R0 750	303 Round Bar				168	3/7/2018					Date	. rice/Offit	Days	Due	То
						0.750 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft								\$048610	Stock	3/7/2018	\$ 4.85 / ft	0		\$8
			_						Total:	168		168								

Plex 3/7/2018 6:40 AM Dart. Dubois. Pascal

# **DELIVERY - CLIENT**

ACIER OUELLETTE INC.

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242 935, Boul. du Hâvre Salaberry de Valleyfield (Québec) J6S 5L1

CLI0001056 Customer N° Date

2018/03/06 2018/03/02

039177

Your order N° Delivery date

Josianne Bourdon

Processed by

Salesman

Carrier

**Credit Terme** 

Net 30 Days

OUELLETTE VALLEYFIELD

OUT

U

S

2018

MARD

12

S

ternal Use Only

	Chinnedta
DART AEROSPACE LTD	or padding
1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7	, Ontario,
Instruction F-M	Att : CHANTAL LAVOIE Tél.: 613-

Billed to

el.: 613-632-5200

*	7
Page	
10	

	Int	-
-	4	IN
	NB	B/0
a	PCS N	EXP
Page		CMD
	M/N	
2	Qty	
ivery Route	Weight	1,00
Deli		

PI_\$CLB
00.09
90.12

Product Description

5761

ROUND SS 3/4 303 (R) \*

RSS-34303

108.00 162.22

5761

AC14045-SM-05/03

9 X 12' R/L

ROUND SS 3/4 303 (R) \*

RSS-34303

,5 X 12' R/L

PI\_\$CLB

MAR

Total Weight (Lbs): 252.34

All soid and delivered materials remain the property of "Acier Quellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Quellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Quellette Inc." to the client. The buyer's expense. The warranty offered by following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All dalms must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to

/erified By : Prepared By

Time	
1 By :	
Delivered	

	- 1
	- 1
	- 1
	- 1
2	
	- 1
	$\neg$

Total (\$CAD)

Customer's Signature

Date

0



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

# **PURCHASE ORDER** PO039177

Tel (613) 632-5200

Supplier:

ACI001-VC

Acier Ouellette Inc. 935 Boul. Du Havre

Valleyfield

QC

J6S 5L1 Canada

Phone: 800 667 4248 Fax: 450 377 5696

PO No:

PO039177

PO Date:

3/2/18

Due Date: 3/7/18

Purchase Order Revision:

**Revision Date:** 

Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada Phone: 613-632-5200 Via:

Ground

Pymt Terms:

Net 30

Freight Terms:

Special Comments: quotation no. sou0089766, sou0089404

l Inc		7-		Items						
Line	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extend
	M303R0.750		303 Round Bar 0.750 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft	Firmed	3/7/18	168 ft	168	168 ft	\$4.8507142/f	\$814.9 DAS
2	M1018B0.250x1.000	) : 1 4 0 3	1010-1025 Steel Bar .250 K 1,000 MATERIAL: AISI 1010- 1025 OR ASTM A36/A366/A569/A570 OR DR CSA G40-21 18W/44W/50W/60W/70W CSA G40-21 OR 8W/44W/50W/60W/70W	Firmed	3/7/18	12 ft	17		\$1.0708333/m 0 5 2918	AS
3 M	16061T6B0.375X8.000	: I Tr Al Q A- 41 Q A- OF AS	061T6 Bar 0.375 X 8.000 MATERIAL: 6061- 6/T651/T6510/T6511/T62 LUMINUM BAR PER Q-A-225/8 OR AMS-QQ- 225/8 OR AMS 17/4128/4115/4116 OR Q-A-200/8 OR AMS-QQ- 200/8 OR AMS 4160 R ASTM B211 OR 6TM B221 Seive ft	Firmed 3	8/7/18	6 ft	6		\$10.69666/h	\$64.18
								Gr	and Total:	\$891.95

**Order Notes** 

Plex 3/2/18 10:46 AM dart.lavoie.chanta

## **Order Notes**

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 3/2/18 10:46 AM dart.lavoie.chantal



ACIER OUELLETTE INC, 935, Boul. du Hâvre Salaberry de Valleyfield (Québec) J6S 5L1 Tél.: 450-377-4248 Mti: 514-336-4248 Ext.: 806-667-4248 Fax: 450-377-5696 Mti: 514-336-4246 Ext.: 866-456-4242

SOU0089766 Josianne Bourdon OUELLE SDV 2018/03/09 Net 30 Days CL10001056 2018/03/02 JOSTANNE Quotation Prices valid until Your Order No Processed by **Credit Terms** Customer N° Revision N° Salesman Carrier Page Date Att : CHANTAL LAVOIE Tél.: 613-632-5200 1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7 DART AEROSPACE LTD Shipped to , Ontario, Billed to

ROUND SS 3/4 303 (R) *	Weight Qty	M/O	Oty U/M	Price	Pcs Nb	Price	Amount
1	1	PI_\$CLB	1 9	1		58.208	814.92
SURCHARGE ENERGETIQUE FRAIS_ENERGETIQUE		**					3.95

Sub-total Total (\$CAD) Date : This offer is based on availability and current pricing conditions that may be revised upon reception of the order.
This offer is subject and conditional to credit approval. Approuved and Accepted by : Important

252.34

Total Weight (Lbs)

925.32

818.87

TVH-13 · · 106.45



# ACIER OUELLETTE INC.

935, Boul, du Hâvre

Salaberry de Valleyfield (Québec) J6S 5L1

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

# Quotation

SOU0089404

Billed to

DART AEROSPACE LTD

1270, ABERDEEN ST.

HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

Att: CHANTAL LAVOIE Tél.: 613-632-5200

**Customer Nº** 

CLI0001056

2018/03/01

Revision N°

**Date** 

Prices valid until

2018/03/08

Your Order No

Processed by

Josianne Bourdon

Salesman

JOSIANNE

Carrier

**OUELLE SDV** 

**Credit Terms** 

Net 30 Days

Page

			raye			1			
Product N° and description	Weight	Qty	U/M	Qty	U/M	Price	Pcs Nb	Price	Amount
FLAT CR 1/4 X 1 1018 (R) * FCR-141 <b>2742</b> 1 X 12' R/L STOCK	10.20	12.00	PI_\$CLB	12.00	PI		1.00	12.850	
AL. PLAT 1/2 X 4 1/2 6061T6 N 1 X 12' 2-3 DAYS	0.00	1.00	UN	1.00	UN		1.00	115.000	115.00
FLAT ALU 3/8 X 8 6061-T6 * FAL-388 <b>2629</b> 1 X 6' 5TOCK	21.17	6.00	PI_\$CLB	6.00	PI		1.00	64.180	64.18
COUPE A LA SCIE SCIE 1		1.00	UN	1.00					
SURCHARGE ENERGETIQUE FRAIS_ENERGETIQUE			\$						3.95
-									

Total Weight (Lbs)

31.37

**Important** 

This offer is based on availability and current pricing conditions that may be revised upon reception of the order.

This offer is subject and conditional to credit approval.

Sub-total

195.98

TVH-13 · · 25,48

Approuved and Accepted by :

Date :

Total (\$CAD)

221.46

ACIER OUELLETTE INC.

935, Boul. du Hâvre Salaberry de Valleyfield (Québec) 16S 5L1

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Copy CLI0001056 Order - Sales Customer N°

CO00076832

2018/03/06 Delivery date

2018/03/02

Date

Josianne Bourdon 039177 Your order N°

Shipped to

Ontario,

HAWKESBURY, Ontario, K6A 1K7

DART AEROSPACE LTD 1270, ABERDEEN ST.

Billed to

Processed by

Salesman

**OUELLETTE VALLEYFIELD** Net 30 Days

Credit Terme Carrier

Att : CHANTAL LAVOIE Tél.: 613-632-5200

,	Internal Use Only	IN I S C OUT
Page	PCS NB	CMD EXP B/O
5	Oty U/M	
livery Route	Weight	
De	Product Description	1 ROUND SS 3/4 303 (R) *

Droduct Document							•		,
rioduct Description	Weight	Oth	N/M		PCS NB	NB.		Int	Internal
Service of the servic				CMD	EXP	8/0	IN	-	U
L ROUND SS 3/4 303 (K) * RSS-34303 5761 {	, 90.12	00.09	60.00 PI_\$CLB	5.00					
5 X 12' R/L (HEAT: 409862)									
2 ROUND SS 3/4 303 (R) *	45.32								
RSS-34303 5761	77.701	108.00	PI_\$CLB	9.00					
									_
9 X 12' RU									
HEAT: 5K381									
AC14045-SM-05/03									
SURCHARGE ENERGETIQUE			+					1	
FRAIS_ENERGETIQUE			A	0.00				_	

Total Weight (LBS):1 252.34

Conditions:

All sold and delivered materials remain the property of "Acier Ouellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the "Acier Ouellette Inc." to the client. The buyer necession respect the following conditions: Re. 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold, All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to

civered by .	
eed by .	
ded by	
5	

ľ		
ure		
Signatu		
r's S		
mer		
1500		
7		F

Deposit Balance Total (\$CAD)

0

Σ

0.00 925.32

925.32

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL:		177	
QUANTITY RECEIVED:	68 68	7	THICKNESS ORDERED: 0.750  THICKNESS RECEIVED: 0.750  SHEET SIZE ORDERED: V/A  SHEET SIZE RECEIVED: V/A
DESCRIPTION	(CI	CR leck (N)	COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	Y	N	
CORROSION	Υ	(N)	
CORRECT GRAIN DIRECTION	V	N	
CORRECT MATERIAL PER M-DRAWING	Y	N	ASTM A582
CORRECT THICKNESS		N	
PHOTO REQUIRED	Y	(N)	
CORRECT REF # TO LINK CERT CORRECT MATERIAL IDENTFICATION		N	bleat # 409862 - 5K381
CORRECT M# ON THE MATERIAL	8	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(S)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Υ		
CUT SAMPLE PIECE		RECO	TERIAL AND PREFORM A HARDNESS CHECK.  DRD RESULTS BELOW  HRC HRB DUR A DUR D LWERSTED
			HRC   HRB   DURA   DURD   WERSTED

CUT SAMPLE PIECE OF	MATERIAL A			SS CHECK.	
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	WEBSTER
SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: _	DAS	SIGNED OFF BY:
DATE:	9-MAR 0 7 2018	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

N 2010 -02- 02

REV. B SHEET 1 OF 1 10.01.05 01.12.20 DATE DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA
DRAWING NO.
M303R 101 ROUND BAR

OO'S ROUND BAR

COPYRIGHT @ 300 IN DART ARROSPACE LTD

FOR COOLURE WANN BARD WERE CONTROL OF THE PROSP

OF THE URBIT OF A REPORTED FOR CONTROL OF THE PROSP

OF THE URBIT OF A REPORTED FOR CONTROL OF THE PROSP DS CP B REFORMAT DWG, ADD SPECS (ZN D8-1), REF PAR 08-020A DESCRIPTION 10.01.05 NEW ISSUE DRAWN
CHECKED
MFG. APPR.
APPROVED
DE APPR.
DATE DESIGN REV.

8

∢

PURCHASE MATERIAL: AISI 303 SS ROUND BAR (NOTE: AISI 304/316 NOT ACCEPTABLE)
SPECIFICATION:
ASTM A582

SPECIFICATION CONTROL DRAWING

00

0

U

SPECIFICATION: ASTM A56
PART NUMBER: M303RID.

1

0

M303RID.DDD

WHERE "D.DDD" = DIAMETER IN INCHES

EG. 0.75" ROUND BAR = M303R0.750

U

5 700

Farrondo FOIU (VEZ CANA) España P.C. Ros I 323-48080 Biblio FoI 34-64 4 73 13 00 FaX 34-64 4 73 13 00

RSS-242U27C

Haragement Systems Cortifled by I RQA ISO 9001 / SGI 6000360 ISO 14001 / SGI 1870678

ACEROS INOXIDABLES

Trade Mark - Zeichen des Lieferwerkes Anagrama del suministrador

										Sell	o del Inspecto	at the tat	akssachter	standager <3
Certificate typ Certificado tip		h EN	1 102	04/3.1		11		Certificate n' Certificado r		27138	7		5 - 201	
Our order N° VVerks - Nr N°de Reference	5997	99	S	eat chmelze olada	40986	2	8	our order N' estell - Nr edido Na		101814		الما		
Steel Grade Werkstoff Calidad	AISI630	03	DV					i	According Entsprech Correspon	end AS	STM A 5	82 A 5	82M-12	<u>.</u>
(	and Size Perfil y dime ROUND	ension		N	A	T	olerar	Toleranz ncia 84 /TB.7		Bundles Bunde Buitos	2 Stabe Barras		Weight Gewitcht Peso	2549 Lbs
					Req	ureme	nts - A	Inforderung	en - Exige	ncias				
QQ-S 764E SAE AMS ( EN 10.088-	640U-07			١.				i						.+
1.4305.														
VECAMAX	- PLUS													
									6.					
	E.A.F		-	led/Abge				Cold drawn	/Gezoge	n/Estirado-				entrick at 2 y
						-	-	rufungen - F	-					
Dimension of S Abmassungend Medida de las	es Probestat probetas	Min	Rs0 KS			lm (S)	A %L5	D - %L 4D	%	Haroness Harte HBw	Impac		rsbschlag OV f. Ib	f Resiliencia
RD. 12,5	) mm.	Max.	,							262				*****
amperature°C 20	Spec. Nº Probe Nr Pro Nº	1	74	8	37 1	03		37	55	229				
	,	,			,								,	
C	Si	M	n	Р	S	C	. 4- 1 -	Mo	Ni	Cu	N	Co		
lin.					0,150	17,	00 :		8,00				j	
lax , 0.150	1,00	2,1	00	0.200		19,0	00		10,00	0.70	0,1000			
0.046	0.39	1,8	33	0,035	0,309	17.	65	0,34	8.45	0,53	0,0365	0.15		
risual and dime lesichtingung control visual y	ind Ausme:	ssung	o.K.	Radioak	tivity inspec fivitätskontr e Radioactivi	olle ()	.K.	Antimixing t SpektroskVe Antimezcia	est erwechslun	gsor O.K.	Gram Size Korngröss Tamaño d	ie		***
ree From No weld rep		ontan	ninatio			-		servaciones					1	V / EDP EN 10.204

Marian Tejedo Quality Mng. Workshiperior Der Werkssicht er randige Inspector de fabrica

145100



# CERTIFICATE INSPECTION

WALSIN LIHWA CORP. YENSHUI PLANT

00.46832

LC NO: BUR

DATE OF 15SUE: 2017/11/06 SUPPLY CONDITION: CD

ORDER NO.: 10609U007/L68468

SPECIFICATION: 303

DOC No.:

BOUNDLE NO				#L17152053	N.17152054	
	HRC					
	塁		103	94	4	
roperty	\$ 8			39	39	
Mechanical Property	田ヶ			33	33	
Mecha	YS			601	109	
	TS N/mm2			739	719	
		L				
	- 00			33	33	
	Mo Cu N	+		-	86 353	
Chemical Composition(wt%)	Mo x			6	6	
mpositi	C C	_	1900	1752		
ical Co	Ni ×	008	1000	800		
Chem	P S Ni x1000x1000 x100	150	-	234.1	234.1	
	4 8		200	29	29	
	C Si Ma x100 x100 x100		200	193	193	
	Si x100		100 2	6.0 25	25	
	2 N		15			
WE	(LBS)				1307	2601
Pcs				711	72	
Thick (Dia)	(inch)			3/4"	3/4"	
Heat No		_	Max			Total:
Hea		3	aber	58.381	5K.38	

TOLERANCE; A484	LENGTH TOLERANCE: 0-50	
Acc. to ASTM A582-12 Cond.A.		
Acc. to ASIM AMS 5640V type 1/02-5-764B chemistry only.		
This inspection certificate is issued according to EN 10204 2.2		
Remark: Melted manufactured :Taiwan , Improved machining. Solution annealed treatment:Acc. to ASTM A484.	SUPPLY CONDITION: A:Anneeled B:Shot Brasted C:As Casted E:ReeledSkin Pass H:Pecipliation Hardening HR:Hot Rolled I:Straightened	We have the following certifications 11509001:2015 Quality Management System 21507ffEC 17025:2005 Laboratory Management System 3.FED & AD2000-Methbat W0 4.DNV · I.R · ABS Classification Society certification 5.15014001:2004 Environment Management System
1.We hereby certify that material described herein has been manufactured and tested with satisfactory results	K:Cut Edge L:Polished M:Cold Bolled P:Pickled	OURISAS IRRUITADO & IUSHMIS CETTICAIE
in accordance with requirement of the above material specification.  2.We certify that the material is free from mercury	S:Shaved V-Sitt	TEST METROD : CHENICAL-ASTN E1806, E415, E1086, E1019
and radiation contamination. Qualification No. of Taiwan Atomic Energy Committee:136 3. The Above Testing Results Relate Only To The Items Tested. 4.No welding repaired	Chrond Draw CG:Centerless Ground PL:Numed or Peeled	SL Kan. Quality Assurance Responsible Personnel

PO,14045

DART

台南市里水區并次到新州東12個3之100K NO.3-10, SHIGU LIAU, CHIN SHEELLI, YENSEUI DIST TAHAN CITY 73743,TAHAN.R.O.C. TEL: 886-6-652-0931 PAX: 886-6-652-0934

CUSTOMER: TA CHEN INTERNATIONAL, INC.
COMMODITY: Stainless Steel Cold Drawn Round Bar (R)

CERTIFICATE NO: A1711060105